


Gerflor®
theflooringgroup

30 | CREATION BOOK

CREATION 30
GLUE DOWN




PERMANENT ADHESIVE

COLLAGE PERMANENT

VOLLFLÄCHIGE VERKLEBUNG


CREATION 30
CLIC



INTERLOCKING

CLIPSABLE

KLICKSYSTEM





5X MORE RESISTANT **30%** FASTER

DESIGN SHADE VARIATION /
NIVEAU DE CONTRASTE DU DÉCOR /
KONTRASTSTÄRKE DES DESIGNS



LIGHT / LÉGER / GERING



MEDIUM / MOYEN / MITTEL



HIGH / FORT / HOCH

ALAMO	P.14
AMADOR	P.18
AMARANTE	P.32
ARENA	P.10
ASPEN	P.54
BACK STREET	P.68
BALLERINA	P.44
BOSTONIAN OAK	P.06
BROWNIE	P.50
BUFFALO	P.52
CAMBRIDGE	P.40
CARMEL	P.74
CARRARE	P.76
CEDAR	P.34
CEMENTINE	P.70
CHEVRON	P.22
DURANGO TAUPE	P.78
HONEY OAK	P.30
LONGBOARD	P.28
MALUA BAY	P.08
MICHIGAN	P.48
NORTHWOOD	P.36
NORVEGIAN STONE	P.64
OXFORD	P.20
PARKER STATION	P.62
PASHMINA	P.56
QUARTET	P.42
RIVERSIDE	P.58
ROYAL OAK	P.38
RUSTIC OAK	P.46
RANCH	P.16
REGGIA	P.72
SILVER CITY	P.60
STACCATO	P.66
SWISS OAK	P.04
TIMBER	P.24
TWIST	P.26
WHITE LIME	P.12

Non-contractual imagery / Reproductions coloris non contractuelles / Farbabweichungen sind möglich

SWISS OAK



SWISS OAK GOLDEN



SWISS OAK GOLDEN
0796

184 x 1219
230 x 1500

214 x 1239
242 x 1461



SWISS OAK BEIGE
0848

184 x 1219
230 x 1500

214 x 1239
242 x 1461



SWISS OAK CASHMERE
0795

184 x 1219
230 x 1500

214 x 1239
242 x 1461



SWISS OAK PEARL
0846

184 x 1219
230 x 1500

214 x 1239
242 x 1461



SWISS OAK SMOKED
0847

184 x 1219
230 x 1500

214 x 1239
242 x 1461

Format / mm



BOSTONIAN OAK



BOSTONIAN OAK



184 x 1219
230 x 1500

214 x 1239
242 x 1461

BOSTONIAN OAK HONEY
0851



184 x 1219

214 x 1239

BOSTONIAN OAK
0871



184 x 1219
230 x 1500

214 x 1239
242 x 1461

BOSTONIAN OAK BEIGE
0853



184 x 1219
230 x 1500

214 x 1239
242 x 1461

BOSTONIAN OAK GREY
0855

Format / mm



MALUA BAY



8

MALUA BAY



184 x 1219

214 x 1239

MALUA BAY
0448

Format / mm


SENS

ARENA





ARENA
0060

184 x 1219

214 x 1239

ARENA

Format / mm

WHITE LIME



WHITE LIME



WHITE LIME
0584

184 x 1219

214 x 1239

Format / mm

ALAMO



ALAMO ASH



184 x 1219

ALAMO ASH
0737



184 x 1219

ALAMO SAND
0738

Format / mm



RANCH





RANCH
0456

184 x 1219
230 x 1500

214 x 1239
242 x 1461

Format / mm

AMADOR





AMADOR
0447

184 x 1219

214 x 1239

Format / mm


I love
Summer

OXFORD



20

OXFORD



OXFORD
0061

184 x 1219

214 x 1239

Format / mm

CHEVRON



22

CHEVRON HURRICANE



CHEVRON BUCKWHEAT
0811

184 x 1219



CHEVRON HURRICANE
0809

184 x 1219

Format / mm



TIMBER



TIMBER RUST



TIMBER CAMEL
0742

184 x 1219



TIMBER GOLD
0874

184 x 1219



TIMBER RUST
0741

184 x 1219

Format / mm

TWIST



TWIST



TWIST
0504

184 x 1219

214 x 1239

Format / mm



LONGBOARD





LONGBOARD
0455

184 x 1219

214 x 1239

Format / mm



HONEY OAK





HONEY OAK
0441

184 x 1219

214 x 1239

Format / mm



AMARANTE





AMARANTE
0579

184 x 1219

214 x 1239

Format / mm

CEDAR



34 CEDAR PURE



CEDAR PURE
0849

230 x 1500

242 x 1461



CEDAR BROWN
0850

230 x 1500

242 x 1461

Format / mm



NORTHWOOD



NORTHWOOD MOKACCINO

NORTHWOOD MACCHIATO
0816

184 x 1219



NORTHWOOD MOKACCINO
0817

184 x 1219

Format / mm



ROYAL OAK



ROYAL OAK GOLD



ROYAL OAK BLOND
0812

184 x 1219



ROYAL OAK COFFEE
0740

184 x 1219



ROYAL OAK GOLD
0739

184 x 1219

Format / mm

CAMBRIDGE



CAMBRIDGE
0465

184 x 1219

214 x 1239



CAMBRIDGE

Format / mm

QUARTET





QUARTET
0503

184 x 1219

214 x 1239



QUARTET FAUVE
0859

184 x 1219

214 x 1239



QUARTET HONEY
0870

184 x 1219

Format / mm

BALLERINA



BALLERINA



BALLERINA
0347

184 x 1219

214 x 1239

Format / mm



RUSTIC OAK





RUSTIC OAK
0445

184 x 1219

214 x 1239

Format / mm



MICHIGAN



MICHIGAN



MICHIGAN
0461

184 x 1219

214 x 1239

Format / mm

BROWNIE





BROWNIE
0459

184 x 1219

214 x 1239

Format / mm

BUFFALO





BUFFALO
0457

184 x 1219

214 x 1239

Format / mm


99 THEORIES IN A BOX

ASPEN



ASPEN



ASPEN
0458

184 x 1219

214 x 1239

Format / mm


HIER
KÖNNTE
KUNST
STEHEN

PASHMINA



PASHMINA STORM



PASHMINA CLOUD
0747

457 x 914



PASHMINA STORM
0746

457 x 914

Format / mm

RIVERSIDE



RIVERSIDE



RIVERSIDE
0436

610 x 610

391 x 729

Format / mm


HAPPY

SILVER CITY



SILVER CITY



SILVER CITY
0373

610 x 610

391 x 729

Format / mm



PARKER STATION



PARKER STATION



PARKER STATION
0374


610 x 610

391 x 729

Format / mm


INDIENS

NORVEGIAN STONE



NORVEGIAN STONE




NORVEGIAN STONE
0860

457 x 914

391 x 729

Format / mm

STACCATO





STACCATO
0476

610 x 610

391 x 729

Format / mm

BACK STREET






BACK STREET
0748

457 x 914

Format / mm


INTERIORS
2

CEMENTINE



CEMENTINE DENIM



CEMENTINE BUCKSKIN
0865

457 x 914

391 x 729



CEMENTINE DENIM
0864

457 x 914

391 x 729

Format / mm

REGGIA



REGGIA IVORY



REGGIA IVORY
0861

457 x 914

391 x 729



REGGIA TAUPE
0862

457 x 914

Format / mm



CARMEL





CARMEL
0618

457 x 914


391 x 729

Format / mm

CARRARE



CARRARE



CARRARE
0744


457 x 914

391 x 729

Format / mm


The
paper bag

DURANGO TAUPE



78

DURANGO TAUPE



DURANGO TAUPE
0751

610 x 610

391 x 729

Format / mm


MORE THAN A FLOOR... **FLOOR, WALL & FINISHES**
PLUS QU'UN SOL... ***SOLUTIONS COMPLÈTES, SOLS, MURS & FINITIONS***
MEHR ALS NUR BELAG... **BODEN, WAND & ZUBEHÖR**



TOOLS / *OUTILS* / WERKZEUGE



ADD-ON UNDERLAYERS / *SOUS COUCHES COMPLEMENTAIRES* / UNTERLAGEN



FOR MORE DETAILS / *PLUS DE DÉTAILS* / WEITERE INFORMATIONEN GERFLOR.COM




CREATION 30
CROSS REFERENCES / *RÉFÉRENCES CROISÉES* / ÜBERSICHT

SCANS	COLOR DESIGN	EMBOSS / *GRAIN* / PRÄGUNG	GLUE DOWN INSTALLATION */À COLLER*	CLIC INSTALLATION */ À CLIPSER*	SKIRTINGS / *PLINTHES* /SOCKELLEISTEN Matching design
	ALAMO ASH 0737	ALAMO	184 x 1219 mm		S002
	ALAMO SAND 0738	ALAMO	184 x 1219 mm		S003
	AMADOR 0447	SAW EFFECT	184 x 1219 mm	214 x 1239 mm	S004
	AMARANTE 0579	BRUSHED	184 x 1219 mm	214 x 1239 mm	S005
	ARENA 0060	SAW EFFECT	184 x 1219 mm	214 x 1239 mm	S026
	ASPEN 0458	BRUSHED	184 x 1219 mm	214 x 1239 mm	S006
	BACK STREET 0748	HAMMERED	457 x 914 mm		S007
	BALLERINA 0347	NATURAL	184 x 1219 mm	214 x 1239 mm	S008
	BOSTONIAN OAK 0871	NATURAL	184 x 1219 mm	214 x 1239 mm	S016
	BOSTONIAN OAK BEIGE 0853	NATURAL	184 x 1219 mm 230 x 1500 mm	214 x 1239 mm 242 x 1461 mm	S017
	BOSTONIAN OAK GREY 0855	NATURAL	184 x 1219 mm 230 x 1500 mm	214 x 1239 mm 242 x 1461 mm	S018
	BOSTONIAN OAK HONEY 0851	NATURAL	184 x 1219 mm 230 x 1500 mm	214 x 1239 mm 242 x 1461 mm	S019
	BROWNIE 0459	NATURAL	184 x 1219 mm	214 x 1239 mm	S073
	BUFFALO 0457	BRUSHED	184 x 1219 mm	214 x 1239 mm	S075
	CAMBRIDGE 0465	NATURAL	184 x 1219 mm	214 x 1239 mm	S065
	CARMEL 0618	HAMMERED	457 x 914 mm	391 x 729 mm	S020
	CARRARE 0744	STONE	457 x 914 mm	391 x 729 mm	S021
	CEDAR BROWN 0850	NATURAL	230 x 1500 mm	242 x 1461 mm	S024
	CEDAR PURE 0849	NATURAL	230 x 1500 mm	242 x 1461 mm	S025
	CEMENTINE BUCKSKIN 0865	STONE	457 x 914 mm	391 x 729 mm	S023
	CEMENTINE DENIM 0864	STONE	457 x 914 mm	391 x 729 mm	S022
	CHEVRON BUCKWHEAT 0811	CHEVRON	184 x 1219 mm		S029
	CHEVRON HURRICANE 0809	CHEVRON	184 x 1219 mm		S030
	DURANGO TAUPE 0751	HAMMERED	610 x 610 mm	391 x 729 mm	S027
	HONEY OAK 0441	NATURAL	184 x 1219 mm	214 x 1239 mm	S033
	LONG BOARD 0455	BRUSHED	184 x 1219 mm	214 x 1239 mm	S034
	MALUA BAY 0448	BRUSHED	184 x 1219 mm	214 x 1239 mm	S035
	MICHIGAN 0461	BRUSHED	184 x 1219 mm	214 x 1239 mm	S038
	NORTHWOOD MACCHIATO 0816	BRUSHED	184 x 1219 mm		S040

SCANS	COLOR DESIGN	EMBOSS / *GRAIN* / PRÄGUNG	GLUE DOWN INSTALLATION */À COLLER*	CLIC INSTALLATION */ À CLIPSER*	SKIRTINGS / *PLINTHES* /SOCKELLEISTEN Matching design
	NORTHWOOD MOKACCINO 0817	BRUSHED	184 x 1219 mm		S041
	NORVEGIAN STONE 0860	HAMMERED	457 x 914 mm	391 x 729 mm	S042
	OXFORD 0061	BRUSHED	184 x 1219 mm	214 x 1239 mm	S043
	PARKER STATION 0374	HAMMERED	610 x 610 mm	391 x 729 mm	S047
	PASHMINA CLOUD 0747	STONE	457 x 914 mm		S049
	PASHMINA STORM 0746	STONE	457 x 914 mm		S050
	QUARTET 0503	NATURAL	184 x 1219 mm	214 x 1239 mm	S056
	QUARTET FAUVE 0859	NATURAL	184 x 1219 mm	214 x 1239 mm	S057
	QUARTET HONEY 0870	NATURAL	184 x 1219 mm		S058
	RANCH 0456	BRUSHED	184 x 1219 mm 230 x 1500 mm	214 x 1239 mm 242 x 1461 mm	S053
	REGGIA IVORY 0861	STONE	457 x 914 mm	391 x 729 mm	S054
	REGGIA TAUPE 0862	STONE	457 x 914 mm		S055
	RIVERSIDE 0436	HAMMERED	610 x 610 mm	391 x 729 mm	S032
	ROYAL OAK BLOND 0812	ROYAL OAK	184 x 1219 mm		S060
	ROYAL OAK COFFEE 0740	ROYAL OAK	184 x 1219 mm		S061
	ROYAL OAK GOLD 0739	ROYAL OAK	184 x 1219 mm		S059
	RUSTIC OAK 0445	BRUSHED	184 x 1219 mm	214 x 1239 mm	S062
	SILVER CITY 0373	HAMMERED	610 x 610 mm	391 x 729 mm	S048
	STACCATO 0476	PERFORATED	610 x 610 mm	391 x 729 mm	S064
	SWISS OAK BEIGE 0848	NATURAL	184 x 1219 mm 230 x 1500 mm	214 x 1239 mm 242 x 1461 mm	S011
	SWISS OAK CASHMERE 0795	NATURAL	184 x 1219 mm 230 x 1500 mm	214 x 1239 mm 242 x 1461 mm	S012
	SWISS OAK GOLDEN 0796	NATURAL	184 x 1219 mm 230 x 1500 mm	214 x 1239 mm 242 x 1461 mm	S015
	SWISS OAK PEARL 0846	NATURAL	184 x 1219 mm 230 x 1500 mm	214 x 1239 mm 242 x 1461 mm	S014
	SWISS OAK SMOKED 0847	NATURAL	184 x 1219 mm 230 x 1500 mm	214 x 1239 mm 242 x 1461 mm	S013
	TIMBER CAMEL 0742	BRUSHED	184 x 1219 mm		S066
	TIMBER GOLD 0874	BRUSHED	184 x 1219 mm		S067
	TIMBER RUST 0741	BRUSHED	184 x 1219 mm		S068
	TWIST 0504	NATURAL	184 x 1219 mm	214 x 1239 mm	S039
	WHITE LIME 0584	SAW EFFECT	184 x 1219 mm	214 x 1239 mm	S074

EXCLUSIVE EMBOSSES **FOR ENHANCED DESIGNS**
SURFACES GRAINÉES ***POUR UNE MATIÈRE TRÈS RÉALISTE***
OBERFLÄCHENPRÄGUNGEN **FÜR AUTHENTISCHE DESIGNS**





















CREATION 30
TECHNICAL DATA

			CREATION 30	CREATION 30 CLIC
			Design	
DESCRIPTION / BESCHREIBUNG / BESCHRIJVING / DESCRIPTION / DESCRIPCIÓN / DESCRIÇÃ0 / DESCRIZIONE				
Total Thickness / Gesamtdicke / Totale dikte / Épaisseur totale / Espesor total / Espessura total / Spessore totale	EN ISO 24346	mm	2.00	4.50
	ASTM F386-02	inch	0.08	0.18
Thickness of the wearlayer / Dicke der Nutzschicht / Dikte van de slijtlaag / Épaisseur couche d'usure / Espesor capa de uso / Espessura camada de desgaste / Spessore strato di usura	EN ISO 24340	mm	0.30	0.40
	ASTM F410-02	inch	0.01	0.02
Weight / Flächengewicht / Gewicht / Poids / Peso / Peso / Peso	EN ISO 23997	g/m²	3460	7385
Size / Format / Afmetingen / Format / Dimensiones / Dimensões / Dimensione	ISO 24342	mm	184x1219 / 230x1500 457x914 / 610x610	214x1239 / 242x1461 391x729
	ASTM F 536	inch	7,25"x48" / 9"x59" 18"x36" / 24"x24"	8.4"x48.7" / 9.5"x57.5" 15.3"x28.7"
CLASSIFICATION / KLASSIFIKATION / CLASSIFICATIE / CLASSIFICATION / CLASIFICACIONES / CLASSIFICAÇÕES / CLASSIFICAZIONI				
Norm/Product Specification / Produktnorm / Technische eigenschappen / Norme/Spécification produit / Normas / Normas / Norma prodotto	-	-	EN ISO 10582	EN ISO 10582
	ASTM F 1700-04	-	Class III Type B	Class III Type B
European Classification / Europäische Klassifizierung / Europese classificatie / Classement européen / Classificación europea / Classificação Europeia / Europea	EN ISO 10874	Class	23 - 31	32
Classement UPEC	-	-	U2SP3E2C2	-
Certification QB UPEC	QB 30	n°	783/356-003.1	-
Fire Rating / Brandverhalten / Brand classificatie / Classement Feu / Fuego / Fogo / Reazione al fuoco	EN 13 501-1	Class	Bfl-s1	Bfl-s1
Static Electrical Propensity / Begehaufladung / Elektrische eigenschappen / Potentiel de charge / Comportamiento electrostático / Comportamento electrostático / Resistenza elettrica	EN 1815	kV	< 2	< 2
Slip Resistance Wet / Rutschhemmung / Anti-slip / Glissance humide / Deslizamiento húmedo / Escorregamento húmido / Scivolosità umida[1]	DIN 51130 /BGR 181	Class	R10	R10
PERFORMANCES / TECHNISCHE EIGENSCHAFTEN / TESTRESULTAAT / PERFORMANCE / CUALIDADES TÉCNICAS / PERFORMANCES / CARATTERISTICHE TECNICHE				
Wear Resistance / Verschleißverhalten / Slijtvastheid / Résistance à l'usure / Abrasión / Abrasão / Resistenza all'abrasione	EN 660.2	mm³	⩽ 2.0	⩽ 2.0
Wear Group / Verschleißgruppe / Groep slijtvasheid / Groupe d'abrasion / Grupo de abrasión / Grupo de abrasão / Gruppo di abrasione	QB 30	group	T	T
Type Binder content / Bindemittelgehalt / Teneur en agent liant / Contenido en ligante / Conteúdo em ligante	ISO 10582	group	I	I
Dimensional stability (norm) / Maßstabilität (norm) / Maatvastheid (norm) / Stabilité dimensionnelle (norme) / Estabilidad Dimensional (Exigencia) / Estabilidade dimensional (normalização) / Stabilità dimensionale (requisito normativo)	EN ISO 23999	%	⩽ 0.25	⩽ 0.15
Dimensional stability (average measured value) / Maßstabilität (Durchschnittsmesswert) / Stabilité dimensionnelle (valeur moyenne mesurée) / Maatvastheid (gemeten gemiddelde waarde) / Estabilidad Dimensional (Valor medido) / Estabilidad Dimensional (Valor medio) / Stabilità dimensionale (rilevata)	-	%	⩽ 0.10	⩽ 0.05
Residual Indentation / Resteindruck / Indrukbelasting / Poinçonnement statique rémanent / Punzonamiento / Punçoamento / Impronta	EN ISO 24343-1	mm	⩽ 0.10	⩽ 0.10
Impact sound insulation / Trittschallverbesserungsmaß / Geluidsisolatie / Isolation acoustique bruits de chocs / Acústica / Isolamento acústico	EN ISO 717-2	dB	4	4
Room Impact / Raumschall / Loopgeluid / Sonorité à la marche / Rumore al calpestio / Sonoridad en la pisada / Sonoridade ao andar	NF S 31074	dB	77	78
Castor chair test / Stuhlrollenbeanspruchung / Rolweerstand bureaustoelen / Essai de la chaise à roulettes / Determinación del efecto de una silla con ruedas / Resistência a cadeiras de rodas / Resistenza al passagio di sed (Type W)	ISO 4918	-	OK	OK
Thermal Conductivity / Wämeleitfähigkeit / Thermische weerstand / Conductivité thermique / Conductividad térmica / Contutividade térmica / Resistenza termica / Värmeledningsmotstånd / Varmemostand	EN ISO 10456	W/(m.K)	0.25	0.25
Colour Fastness / Lichtechtheit / Lichtechtheid / Solidité lumière / Resistencia a la luz / Estabilidade das cores / Solidità alla luce	EN 20 105 - B02	degree	⩾ 6	⩾ 6
Surface Treatment / Oberflächenvergütung / Oppervlaktebehandeling / Traitement de surface / Tratamiento de superficie / Tratamento de superficie / Trattamento di superficie	-	-	PUR+ Matt	PUR+ Matt
Chemical Products Resistance / Verhalten gegenüber Chemikalien / Chemische bestendigheid / Résistance aux produits chimiques / Resistencia a los productos químicos /Resistência aos produtos químicos / Resistenza ai prodotti chimici [2]	EN ISO 26987	-	OK	OK
ENVIRONMENT/INDOOR AIR QUALITY / UMWELT/RAUMLUFTQUALITÄT / ENVIRONNEMENT/QUALITE DE L'AIR INTERIEUR / MEDIO AMBIENTE/CALIDAD INTERIOR DEL AIRE INTERIOR / MEIO AMBIENTE/QUALIDADE DO AR INTERIOR				
TVOC after 28 days / TVOC (28 Tage) / TVOC (28 dagen) / TVOC après 28 jours / TVOC (28 dias) / TVOC (28 dias) / TVOC (28 giorni) / TVOC (28 dagar) / TVOC (28 dager)	ISO 16000-6	µg/m³	< 10	< 10
Certification /Zeugnis / Certification / Certificado / Certificação	-	-	-	Floorscore®
CE MARKING / CE KENNZEICHNUNG / EG_CONFORMITEITSMERK / MARQUAGE CE / MARCA DE CONFORMIDAD CE / MARCA DE CONFORMIDADE CE / MARCATURA CE DI CONFORMITA				
CE	EN 14041	-	DS · Bfl-s1	

(1) Ramp test with oil / Schiefe Ebene / Plan incliné avec huile
(2) Beständig gegenuber nicht färbenden alkoholhaltigen Handdesinfektionsmitteln, Haushaltschemikalien und verdünnten Saüren und Laugen bei kurzzeitiger Einwirkung.

CREATION, NO FORMALDEHYDE, BETTER INDOOR AIR QUALITY

COMPOSITION
100% REACH
Phthalate Free
(except recycled content)

INDOOR AIR QUALITY
TVOC below detection level
No Formaldehyde emission

RECYCLED CONTENT
Glue Down: 35%
Clic: 55%

RECYCLABILITY
100%

INSTALLATION
Clic: Adhesive free

LCA
Clic: Lowest Carbon Footprint
CO_2 emissions/sqm
10 times lower than standard process

WELLNESS
Walking noise reduction:
-10dB vs laminate

INTERIOR DESIGNER



interiordesigner.gerflor.com

Z0045149

RC Lyon B 726 580 152 - jpe - Printed in CEE 209 406 - 01/2020 - Z004 5149 - Indicative documentation cost: **4.50 €**

30 years experience
Since 1985

Manufacturer
3 LVT Factories

World Class Logistics
12 Logistics Hubs

Gerflor Design Centre
Exclusive Designs



“Serenity„
Leila - **End User**

“Time saving„
Mika - **Installer**

“Design„
Pierre - **Architect**

“Confidence„
Claire - **Store Manager**

“Reliability„
Lucas - **Distributor**

Gerflor is our **Reference**

gerflor.com

Gerflor®
theflooringgroup