


Gerflor®
theflooringgroup

55 | CREATION BOOK

CREATION 55
GLUE DOWN




PERMANENT ADHESIVE

COLLAGE PERMANENT

VOLLFLÄCHIGE VERKLEBUNG

CREATION 55
CLIC



INTERLOCKING

CLIPSABLE


KLICKSYSTEM





5X MORE RESISTANT **30%** FASTER

CREATION 55
LOOSELAY



LOOSELAY - REMOVABLE

PLOMBANT-REPOSITIONNABLE

LOSE VERLEGUNG-WIEDERAUFNEHMBAR

DESIGN SHADE VARIATION / NIVEAU DE CONTRASTE DU DÉCOR / KONTRASTSTÄRKE DES DESIGNS



LIGHT / LÉGER / GERING



MEDIUM / MOYEN / MITTEL



HIGH / FORT / HOCH

AMADOR P.12
AMARANTE P.46
ARENA P.20
ASPEN P.58
BALLERINA P.42
BLOOM P.80
BOSTONIAN OAK P.06
BROWNIE P.54
BUFFALO P.56
CAMBRIDGE P.40
CARMEL P.74
CARRARE P.82
CEDAR P.34
CHEVRON P.16
DURANGO TAUPE P.62
ERAMOSA BEIGE P.84
HONEY OAK P.32
LONGBOARD P.30
MALUA BAY P.22
MANSFIELD P.18
MICHIGAN P.52
NORTHWOOD P.36
NORVEGIAN STONE P.70
OXFORD P.14
PAINT WOOD TAUPE P.26
PARKER STATION P.68
PONTO CRUZ P.78
QUARTET P.44
RANCH P.10
REGGIA P.72
RIVERSIDE P.76
ROYAL OAK P.38
RUST P.60
RUSTIC OAK P.48
SILVER CITY P.66
STACCATO P.64
STRIPE OAK P.50
SWISS OAK P.04
TWIST P.28
VINTAGE OAK P.08
WHITE LIME P.24

SWISS OAK



SWISS OAK CASHMERE



184 x 1219
230 x 1500

214 x 1239
242 x 1461

229 x 1220

SWISS OAK GOLDEN
0796



184 x 1219
230 x 1500
152 x 762

214 x 1239
242 x 1461

SWISS OAK BEIGE
0848



184 x 1219
230 x 1500

214 x 1239
242 x 1461

SWISS OAK CASHMERE
0795



184 x 1219
230 x 1500

214 x 1239
242 x 1461

229 x 1220

SWISS OAK PEARL
0846



184 x 1219
230 x 1500

214 x 1239
242 x 1461

SWISS OAK SMOKED
0847

Format / mm



BOSTONIAN OAK



6 BOSTONIAN OAK BEIGE



184 x 1219
230 x 1500

214 x 1239
242 x 1461

BOSTONIAN OAK HONEY
0851



184 x 1219

214 x 1239

BOSTONIAN OAK
0871



184 x 1219
230 x 1500

214 x 1239
242 x 1461

BOSTONIAN OAK BEIGE
0853



184 x 1219
230 x 1500

214 x 1239
242 x 1461

BOSTONIAN OAK GREY
0855

Format / mm



VINTAGE OAK



VINTAGE OAK



VINTAGE OAK
0426

184 x 1219

Format / mm


ATELIERS
créatifs et
ÉCOLOGIQUES
de KULTRACO

RANCH



RANCH



RANCH
0456

184 x 1219
230 x 1500

214 x 1239
242 x 1461

229 x 1220

Format / mm

AMADOR





AMADOR
0447

184 x 1219

214 x 1239

229 x 1220

Format / mm

OXFORD



14

OXFORD



OXFORD
0061

184 x 1219

214 x 1239

Format / mm


Boutique SPA

CHEVRON



16

CHEVRON HURRICANE



CHEVRON MOKA
0810

184 x 1219



CHEVRON BUCKWHEAT
0811

184 x 1219



CHEVRON HURRICANE
0809

184 x 1219

Format / mm

CHEVRON HURRICANE

MANSFIELD



MANSFIELD LIGHT



MANSFIELD LIGHT
0068

184 x 1219



MANSFIELD NATURAL
0069

184 x 1219

Format / mm

MANSFIELD LIGHT

ARENA



ARENA



ARENA
0060

184 x 1219

214 x 1239

229 x 1220

Format / mm

MALUA BAY



MALUA BAY



184 x 1219

214 x 1239

229 x 1220

MALUA BAY
0448

Format / mm

WHITE LIME



WHITE LIME



WHITE LIME
0584

184 x 1219

214 x 1239

Format / mm

PAINT WOOD TAUPE



PAINT WOOD TAUPE



PAINT WOOD TAUPE
0856

184 x 1219

214 x 1239

Format / mm

PAINT WOOD TAUPE

TWIST



TWIST



TWIST
0504

184 x 1219

214 x 1239

229 x 1220

Format / mm

LONGBOARD



LONGBOARD



LONGBOARD
0455

184 x 1219

214 x 1239

229 x 1220

Format / mm

HONEY OAK



HONEY OAK



HONEY OAK
0441

184 x 1219

214 x 1239

229 x 1220

Format / mm

HONEY OAK

CEDAR



34

CEDAR PURE



CEDAR PURE
0849

230 x 1500

242 x 1461



CEDAR BROWN
0850

230 x 1500

242 x 1461

Format / mm


CAPPUCCINÔ

NORTHWOOD



NORTHWOOD MOKACCINO

NORTHWOOD MACCHIATO
0816

184 x 1219



NORTHWOOD MOKACCINO
0817

184 x 1219

Format / mm



ROYAL OAK



ROYAL OAK COFFEE



ROYAL OAK BLOND
0812

184 x 1219



ROYAL OAK COFFEE
0740

184 x 1219

Format / mm

CAMBRIDGE



CAMBRIDGE



CAMBRIDGE
0465

184 x 1219

214 x 1239

Format / mm



BALLERINA



BALLERINA



BALLERINA
0347

184 x 1219
152 x 762

214 x 1239

229 x 1220

Format / mm


CHRISTIAN DIOR
collectionneur
Dans l'atelier
de JUAN MIRÓ
INES DE LA
FRESSANGE,
rêves de déco
AD
ARCHITECTURAL
nouveaux décors urbains
SEPTEMBRE 2007

QUARTET



QUARTET



QUARTET
0503

184 x 1219
152 x 762

214 x 1239



QUARTET FAUVE
0859

184 x 1219

214 x 1239



QUARTET HONEY
0870

184 x 1219

Format / mm

AMARANTE



AMARANTE



AMARANTE
0579

184 x 1219

214 x 1239

Format / mm



RUSTIC OAK





RUSTIC OAK
0445

184 x 1219

214 x 1239

Format / mm


dom
DEUTSCHE AUSGABE
EVERMOTION

STRIPE OAK



STRIPE OAK HONEY



STRIPE OAK HONEY
0857



184 x 1219



214 x 1239



STRIPE OAK ICE
0858



184 x 1219



214 x 1239

Format / mm



STRIPE OAK HONEY

MICHIGAN



MICHIGAN



MICHIGAN
0461

184 x 1219

214 x 1239

Format / mm



BROWNIE



BROWNIE



BROWNIE
0459

184 x 1219

214 x 1239

Format / mm


EXIT

BUFFALO



BUFFALO



BUFFALO
0457

184 x 1219

214 x 1239

Format / mm


99 THEORIES IN A BOX

ASPEN



ASPEN




ASPEN
0458

184 x 1219

214 x 1239

Format / mm

RUST



RUST CORTEN



RUST CORTEN
0095

457 x 914

391 x 729




RUST METAL
0094

457 x 914

Format / mm

DURANGO TAUPE



DURANGO TAUPE



DURANGO TAUPE
0751


610 x 610

391 x 729

Format / mm

DURANGO TAUPE

STACCATO





STACCATO
0476

610 x 610

391 x 729

Format / mm

SILVER CITY



SILVER CITY



SILVER CITY
0373

610 x 610

391 x 729

Format / mm

PARKER STATION



PARKER STATION



PARKER STATION
0374

610 x 610


391 x 729

500 x 500

Format / mm



NORVEGIAN STONE



NORVEGIAN STONE



NORVEGIAN STONE
0860

457 x 914

391 x 729


500 x 500

Format / mm

REGGIA



72 REGGIA TAUPE



REGGIA TAUPE
0862

457 x 914



REGGIA IVORY
0861

457 x 914

391 x 729

Format / mm


ESPRESSO

CARMEL





CARMEL
0618

457 x 914

391 x 729

500 x 500

Format / mm



RIVERSIDE



RIVERSIDE



610 x 610


391 x 729

RIVERSIDE
0436

Format / mm



PONTO CRUZ



PONTO CRUZ CITY



PONTO CRUZ NAVY
0876

610 x 610
152 x 762

500 x 500



PONTO CRUZ CITY
0878

610 x 610
152 x 762

500 x 500

Format / mm

PONTO CRUZ CITY / NAVY

BLOOM




BLOOM TAUPE



BLOOM TAUPE
0866

610 x 610


391 x 729



BLOOM UNI TAUPE
0868

610 x 610


391 x 729



BLOOM GREY
0867

610 x 610

391 x 729



BLOOM UNI GREY
0869

610 x 610

391 x 729


Format / mm

BLOOM TAUPE / BLOOM UNI TAUPE

CARRARE



CARRARE



CARRARE
0744

457 x 914

391 x 729

Format / mm



ERAMOSA BEIGE



ERAMOSA BEIGE



ERAMOSA BEIGE
0863

457 x 914

391 x 729

Format / mm

MORE THAN A FLOOR... **FLOOR, WALL & FINISHES**
PLUS QU'UN SOL... ***SOLUTIONS COMPLÈTES, SOLS, MURS & FINITIONS***
MEHR ALS NUR BELAG... **BODEN, WAND & ZUBEHÖR**



MATTING /
TAPIS D'ENTRÉE /
SAUBERLAUF

TOOLS / *OUTILS* / WERKZEUGE




ADD-ON UNDERLAYERS / *SOUS COUCHES COMPLEMENTAIRES* / UNTERLAGEN



FOR MORE DETAILS / *PLUS DE DÉTAILS* / WEITERE INFORMATIONEN GERFLOR.COM





CREATION 55
CROSS REFERENCES / *RÉFÉRENCES CROISÉES* / ÜBERSICHT

SCANS	COLOR DESIGN	EMBOSS / *GRAIN* / PRÄGUNG	GLUE DOWN INSTALLATION / *À COLLER*	CLIC INSTALLATION / *À CLIPSER*	LOOSELAY INSTALLATION / *PLOMBANT*	SKIRTINGS / *PLINTHES* / SOCKELLEISTEN
						Matching design
	**AMADOR - 0447**	SAW EFFECT	184 x 1219 mm	214 x 1239 mm	229 x 1220 mm	S004
	**AMARANTE - 0579**	BRUSHED	184 x 1219 mm	214 x 1239 mm		S005
	**ARENA - 0060**	SAW EFFECT	184 x 1219 mm	214 x 1239 mm	229 x 1220 mm	S026
	**ASPEN - 0458**	BRUSHED	184 x 1219 mm	214 x 1239 mm		S006
	**BALLERINA - 0347**	NATURAL	184 x 1219 mm 152 x 762 mm	214 x 1239 mm	229 x 1220 mm	S008
	**BLOOM GREY - 0867**	HAMMERED	610 x 610 mm	391 x 729 mm		S069
	**BLOOM TAUPE - 0866**	HAMMERED	610 x 610 mm	391 x 729 mm		S070
	**BLOOM UNI GREY - 0869**	HAMMERED	610 x 610 mm	391 x 729 mm		S071
	**BLOOM UNI TAUPE - 0868**	HAMMERED	610 x 610 mm	391 x 729 mm		S072
	**BOSTONIAN OAK - 0871**	NATURAL	184 x 1219 mm	214 x 1239 mm		S016
	**BOSTONIAN OAK BEIGE - 0853**	NATURAL	184 x 1219 mm 230 x 1500 mm	214 x 1239 mm 242 x 1461 mm		S017
	**BOSTONIAN OAK GREY - 0855**	NATURAL	184 x 1219 mm 230 x 1500 mm	214 x 1239 mm 242 x 1461 mm		S018
	**BOSTONIAN OAK HONEY - 0851**	NATURAL	184 x 1219 mm 230 x 1500 mm	214 x 1239 mm 242 x 1461 mm		S019
	**BROWNIE - 0459**	NATURAL	184 x 1219 mm	214 x 1239 mm		S073
	**BUFFALO - 0457**	BRUSHED	184 x 1219 mm	214 x 1239 mm		S075
	**CAMBRIDGE - 0465**	NATURAL	184 x 1219 mm	214 x 1239 mm		S065
	**CARMEL - 0618**	HAMMERED	457 x 914 mm	391 x 729 mm	500 x 500 mm	S020
	**CARRARE - 0744**	STONE	457 x 914 mm	391 x 729 mm		S021
	**CEDAR BROWN - 0850**	NATURAL	230 x 1500 mm	242 x 1461 mm		S024
	**CEDAR PURE - 0849**	NATURAL	230 x 1500 mm	242 x 1461 mm		S025
	**CHEVRON BUCKWHEAT - 0811**	CHEVRON	184 x 1219 mm			S029
	**CHEVRON HURRICANE - 0809**	CHEVRON	184 x 1219 mm			S030
	**CHEVRON MOKA - 0810**	CHEVRON	184 x 1219 mm			S031
	**DURANGO TAUPE - 0751**	HAMMERED	610 x 610 mm	391 x 729 mm		S027
	**ERAMOSA BEIGE - 0863**	NATURAL	457 x 914 mm	391 x 729 mm		S028
	**HONEY OAK - 0441**	NATURAL	184 x 1219 mm	214 x 1239 mm	229 x 1220 mm	S033
	**LONG BOARD - 0455**	BRUSHED	184 x 1219 mm	214 x 1239 mm	229 x 1220 mm	S034
	**MALUA BAY - 0448**	BRUSHED	184 x 1219 mm	214 x 1239 mm	229 x 1220 mm	S035
	**MANSFIELD LIGHT - 0068**	BRUSHED	184 x 1219 mm			S036
	**MANSFIELD NATURAL - 0069**	BRUSHED	184 x 1219 mm			S037
	**MICHIGAN - 0461**	BRUSHED	184 x 1219 mm	214 x 1239 mm		S038
	**NORTHWOOD MACCHIATO - 0816**	BRUSHED	184 x 1219 mm			S040

SCANS	COLOR DESIGN	EMBOSS / *GRAIN* / PRÄGUNG	GLUE DOWN INSTALLATION / *À COLLER*	CLIC INSTALLATION / *À CLIPSER*	LOOSELAY INSTALLATION / *PLOMBANT*	SKIRTINGS / *PLINTHES* / SOCKELLEISTEN
						Matching design
	NORTHWOOD MOKACCINO - 0817	BRUSHED	184 x 1219 mm			S041
	NORVEGIAN STONE - 0860	HAMMERED	457 x 914 mm	391 x 729 mm	500 x 500 mm	S042
	OXFORD - 0061	BRUSHED	184 x 1219 mm	214 x 1239 mm		S043
	PAINT WOOD TAUPE - 0856	BRUSHED	184 x 1219 mm	214 x 1239 mm		S046
	PARKER STATION - 0374	HAMMERED	610 x 610 mm	391 x 729 mm	500 x 500 mm	S047
	PONTO CRUZ CITY - 0878	TEXTILE	610 x 610 mm 152 x 762 mm		500 x 500 mm	S052
	PONTO CRUZ NAVY - 0876	TEXTILE	610 x 610 mm 152 x 762 mm		500 x 500 mm	S051
	QUARTET - 0503	NATURAL	184 x 1219 mm 152 x 762 mm	214 x 1239 mm		S056
	QUARTET FAUVE - 0859	NATURAL	184 x 1219 mm	214 x 1239 mm		S057
	QUARTET HONEY - 0870	NATURAL	184 x 1219 mm			S058
	RANCH - 0456	BRUSHED	184 x 1219 mm 230 x 1500 mm	214 x 1239 mm 242 x 1461 mm	229 x 1220 mm	S053
	REGGIA IVORY - 0861	STONE	457 x 914 mm	391 x 729 mm		S054
	REGGIA TAUPE - 0862	STONE	457 x 914 mm			S055
	RIVERSIDE - 0436	HAMMERED	610 x 610 mm	391 x 729 mm		S032
	ROYAL OAK BLOND - 0812	ROYAL OAK	184 x 1219 mm			S060
	ROYAL OAK COFFEE - 0740	ROYAL OAK	184 x 1219 mm			S061
	RUST CORTEN - 0095	PERFORATED	457 x 914 mm	391 x 729 mm		S044
	RUST METAL - 0094	PERFORATED	457 x 914 mm			S045
	RUSTIC OAK - 0445	BRUSHED	184 x 1219 mm	214 x 1239 mm		S062
	SILVER CITY - 0373	HAMMERED	610 x 610 mm	391 x 729 mm		S048
	STACCATO - 0476	PERFORATED	610 x 610 mm	391 x 729 mm		S064
	STRIPE OAK HONEY - 0857	NATURAL	184 x 1219 mm	214 x 1239 mm		S010
	STRIPE OAK ICE - 0858	NATURAL	184 x 1219 mm	214 x 1239 mm		S009
	SWISS OAK BEIGE - 0848	NATURAL	84 x 1219 mm 230 x 1500 mm 152 x 762 mm	214 x 1239 mm 242 x 1461 mm		S011
	SWISS OAK CASHMERE - 0795	NATURAL	184 x 1219 mm 230 x 1500 mm	214 x 1239 mm 242 x 1461 mm		S012
	SWISS OAK GOLDEN - 0796	NATURAL	184 x 1219 mm 230 x 1500 mm	214 x 1239 mm 242 x 1461 mm	229 x 1220 mm	S015
	SWISS OAK PEARL - 0846	NATURAL	184 x 1219 mm 230 x 1500 mm	214 x 1239 mm 242 x 1461 mm	229 x 1220 mm	S014
	SWISS OAK SMOKED - 0847	NATURAL	184 x 1219 mm 230 x 1500 mm	214 x 1239 mm 242 x 1461 mm		S013
	TWIST - 0504	NATURAL	184 x 1219 mm	214 x 1239 mm	229 x 1220 mm	S039
	VINTAGE OAK - 0426	BRUSHED	184 x 1219 mm			S063
	WHITE LIME - 0584	SAW EFFECT	184 x 1219 mm	214 x 1239 mm		S074

EXCLUSIVE EMBOSSES **FOR ENHANCED DESIGNS**
SURFACES GRAINÉES **POUR UNE MATIÈRE TRÈS RÉALISTE**
OBERFLÄCHENPRÄGUNGEN **FÜR AUTHENTISCHE DESIGNS**









*ULTRA REALISTIC EMBOSSING

CREATION 55
TECHNICAL DATA

			CREATION 55		CREATION 55 LOOSELAY	CREATION 55 CLIC
			DESIGN	TREND		
DESCRIPTION / BESCHREIBUNG / BESCHRIJVING / DESCRIPTION / DESCRIPCIÓN / DESCRIÇÃ0 / DESCRIZIONE						
Total Thickness / Gesamtdicke / Totale dikte / Épaisseur totale / Espesor total / Espessura total / Spessore totale	EN ISO 24346	mm	2.50	2.50	4.50	5.00
	ASTM F386-02	inch	0.10	0.10	0.18	0.20
Thickness of the wearlayer / Dicke der Nutzschicht / Dikte van de slijtlaag / Épaisseur couche d'usure / Espesor capa de uso / Espessura camada de desgaste / Spessore strato di usura	EN ISO 24340	mm	0.55	0.55	0.55	0.55
	ASTM F410-02	inch	0.02	0.02	0.02	0.02
Weight / Flächengewicht / Gewicht / Poids / Peso / Peso / Peso	EN ISO 23997	g/m²	4410	3850	7500	8230
Size / Format / Afmetingen / Format / Dimensiones / Dimensões / Dimensione	ISO 24342	mm	184x1219 / 230x1500 152x762 457x914 / 610x610	184x1219 / 230x1500 152x762 457x914 / 610x610	229x1220 500x500	214x1239 / 242x1461 391x729
	ASTM F 536	inch	7.25''x48'' / 9''x59'' 6''x30'' / 18''x36'' / 24''x24'	7.25''x48'' / 9''x59'' 6''x30'' / 18''x36'' / 24''x24''	9''x48'' 19.7''x19.7''	8.4''x48.7'' / 9.5''x57.5'' 15.3''x28.7''
CLASSIFICATION / KLASSIFIKATION / CLASSIFICATIE / CLASSIFICATION / CLASIFICACIONES / CLASSIFICAÇÕES / CLASSIFICAZIONI						
Norm/Product Specification / Produktnorm / Technische eigenschappen / Norme/ Spécification produit / Normas / Normas / Norma prodotto	-	-	EN ISO 10582	EN ISO 10582	EN ISO 10582	EN ISO 10582
	ASTM F 1700-04	-	Class III Type B	Class III Type B	-	Class III Type B
European Classification / Europäische Klassifizierung / Europese classificatie / Classement européen / Classificación europea / Classificação Europeia / Europea	EN ISO 10874 (685)	Class	33 - 42	33 - 42	33 - 42	33 - 42
Classement UPEC	-	-	U3P3E2C2	U3P3E2C2	-	Pour pose dans les locaux classés U3P3E1/2C2
Certification QB UPEC	QB 30	n°	783/356-004.1	355-002.1	-	-
Fire Rating / Brandverhalten / Brand classificatie / Classement Feu / Fuego / Fogo / Reazione al fuoco	EN 13 501-1	Class	Bfl-s1	Bfl-s1	Bfl-s1	Bfl-s1
Static Electrical Propensity / Begehaufladung / Elektrische eigenschappen / Potentiel de charge / Comportamiento electrostático / Comportamento electrostático / Resistenza elettrica	EN 1815	kV	< 2	< 2	< 2	< 2
Slip Resistance Wet / Rutschhemmung / Anti-slip / Glissance humide / Deslizamiento húmedo / Escorregamento húmido / Scivolosità umida(1)	DIN 51130 /BGR 181	Class	R10	R10	R10	R10
PERFORMANCES / TECHNISCHE EIGENSCHAFTEN / TESTRESULTAAT / PERFORMANCE / CUALIDADES TÉCNICAS / PERFORMANCES / CARATTERISTICHE TECNICHE						
Wear Resistance / Verschleißverhalten / Slijtvastheid / Résistance à l'usure / Abrasión / Abrasão / Resistenza all'abrasione	EN 660.2	mm³	⩽ 2.0	⩽ 2.0	⩽ 2.0	⩽ 2.0
Wear Group / Verschleißgruppe / Groep slijtvasheid / Groupe d'abrasion / Grupo de abrasión / Grupo de abrasão / Gruppo di abrasione	QB 30	group	T	T	T	T
Type Binder content / Bindemittelgehalt / Teneur en agent liant / Contenido en ligante / Conteúdo em ligante	ISO 10582	group	I	I	I	I
Dimensional stability (norm) / Maßstabilität (norm) / Maatvastheid (norm) / Stabilité dimensionnelle (norme) / Estabilidad Dimensional (Exigencia) / Estabilidade dimensional (normalização) / Stabilità dimensionale (requisito normativo)	EN ISO 23999	%	⩽ 0.25	⩽ 0.25	⩽ 0.15	⩽ 0.15
Dimensional stability (average measured value) / Maßstabilität (Durchschnittsmesswert) / Stabilité dimensionnelle (valeur moyenne mesurée) / Maatvastheid (gemeten gemiddelde waarde) / Estabilidad Dimensional (Valor medido) / Estabilidad Dimensional (Valor medio) / Stabilità dimensionale (rilevata)	-	%	⩽ 0.10	⩽ 0.10	⩽ 0.05	⩽ 0.05
Residual Indentation / Resteindruck / Indrukbelasting / Poinçonnement statique rémanent / Punzonamiento / Punçoamento / Impronta	EN ISO 24343-1	mm	⩽ 0.10	⩽ 0.10	⩽ 0.10	⩽ 0.10
Impact sound insulation / Trittschallverbesserungsmaß / Geluidsisolatie / Isolation acoustique bruits de chocs / Acústica / Isolamento acústico	EN ISO 717-2	dB	4	4	7	4
Room Impact / Raumschall / Loopgeluid / Sonorité à la marche / Rumore al calpestio / Sonoridad en la pisada / Sonoridade ao andar	NF S 31074	dB	77	77	73	78
Castor chair test / Stuhlrollenbeanspruchung / Rolweerstand bureaustoelen / Essai de la chaise à roulettes / Determinación del efecto de una silla con ruedas / Resistência a cadeiras de rodas / Resistenza al passagio di sed (Type W)	ISO 4918	-	OK	OK	OK	OK
Thermal Conductivity / Wämeleitfähigkeit / Thermische weerstand / Conductivité thermique / Conductividad térmica / Contutividade térmica / Resistenza termica / Värmeledningsmotstånd / Varmemostand	EN ISO 10456	W/(m.K)	0.25	0.25	0.25	0.25
Colour Fastness / Lichtechtheit / Lichtechtheid / Solidité lumière / Resistencia a la luz / Estabilidade das cores / Solidità alla luce	EN 20 105 - B02	degree	⩾ 6	⩾ 6	⩾ 6	⩾ 6
Surface Treatment / Oberflächenvergütung / Oppervlaktebehandeling / Traitement de surface / Tratamiento de superficie / Tratamento de superficie / Trattamento di superficie	-	-	PUR+ Matt	PUR+ Matt	PUR+ Matt	PUR+ Matt
Chemical Products Resistance / Verhalten gegenüber Chemikalien / Chemische bestendigheid / Résistance aux produits chimiques / Resistencia a los productos químicos /Resistência aos produtos químicos / Resistenza ai prodotti chimici (2)	EN ISO 26987	-	OK	OK	OK	OK
ENVIRONMENT/INDOOR AIR QUALITY / UMWELT/RAUMLUFTQUALITÄT / ENVIRONNEMENT/QUALITE DE L'AIR INTERIEUR / MEDIO AMBIENTE/CALIDAD INTERIOR DEL AIRE INTERIOR / MEIO AMBIENTE/ QUALIDADE DO AR INTERIOR						
TVOC after 28 days / TVOC (28 Tage) / TVOC (28 dagen) / TVOC après 28 jours / TVOC (28 dias) / TVOC (28 dias) / TVOC (28 giorni) / TVOC (28 dagar) / TVOC (28 dager)	ISO 16000-6	µg/m³	< 10	< 10	< 10	< 10
Certification /Zeugnis / Certification / Certificado / Certificação	-	-	-	Floorscore®	-	Floorscore®
CE MARKING / CE KENNZEICHNUNG / EG_CONFORMITEITSMERK / MARQUAGE CE / MARCA DE CONFORMIDAD CE / MARCA DE CONFORMIDADE CE / MARCATURA CE DI CONFORMITA						
CE	EN 14041	-	DS		Bfl-s1	

(1) Ramp test with oil / Schiefe Ebene / Plan incliné avec huile
(2) Beständig gegenuber nicht färbenden alkoholhaltigen Handdesinfektionsmitteln, Haushaltschemikalien und verdünnten Saüren und Laugen bei kurzzeitiger Einwirkung.

CREATION, NO FORMALDEHYDE, BETTER INDOOR AIR QUALITY

COMPOSITION
100% REACH
Phthalate Free
(except recycled content)

INDOOR AIR QUALITY
TVOC below detection level
No Formaldehyde emission

RECYCLED CONTENT
Glue Down: 35%
Looselay: 35%
Clic: 55%

RECYCLABILITY
100%

INSTALLATION
Clic: Adhesive free

LCA
Clic: Lowest Carbon Footprint
CO_2 emissions/sqm
10 times lower than standard process

WELLNESS
Walking noise reduction:
-10dB vs laminate

INTERIOR DESIGNER



interiordesigner.gerflor.com


Z0045159

30 years experience
Since 1985

Manufacturer
3 LVT Factories

World Class Logistics
12 Logistics Hubs

Gerflor Design Centre
Exclusive Designs



“Serenity„
Julia - **End User**



“Time saving„
Mika - **Installer**



“Design„
Pierre - **Architect**



“Confidence„
Claire - **Store Manager**



“Reliability„
Lucas - **Distributor**

Gerflor is our **Reference**

gerflor.com

Gerflor®
theflooringgroup

RC Lyon B 726 580 152 - jpe - Printed in CEE 209 406 - 02/2020 - Z004 5159 - Indicative documentation cost: 5 €