


Gerflor®
theflooringgroup

70 | CREATION BOOK

CREATION 70
GLUE DOWN




PERMANENT ADHESIVE

COLLAGE PERMANENT

VOLLFLÄCHIGE VERKLEBUNG

CREATION 70
CLIC



INTERLOCKING

CLIPSABLE


KLICKSYSTEM





5X MORE RESISTANT **30%** FASTER

CREATION 70
LOOSELAY



LOOSELAY - REMOVABLE

PLOMBANT-REPOSITIONNABLE

LOSE VERLEGUNG-WIEDERAUFNEHMBAR

DESIGN SHADE VARIATION / NIVEAU DE CONTRASTE DU DÉCOR / KONTRASTSTÄRKE DES DESIGNS



LIGHT / LÉGER / GERING



MEDIUM / MOYEN / MITTEL



HIGH / FORT / HOCH

ALBION	P.14
CARASSI	P.44
CERVINO OAK	P.16
CLIFTON	P.20
DEEP FOREST	P.08
DENIM WOOD	P.32
DIESEL	P.12
DOCK	P.52
DOUGLAS	P.40
EAST VILLAGE	P.48
ETNA	P.62
GENTLEMAN	P.56
GRACE BAY	P.36
HALIFAX	P.46
LIMED OAK	P.28
MIDWEST	P.26
MOON ISLAND	P.34
MUSE	P.22
ONKA	P.06
OXYD	P.54
PORTOBELLO	P.42
PRADO	P.60
PURE CONCRETE	P.50
REGIMENTAL PICADILLY	P.38
SECRET GARDEN WHITE	P.66
SERENA	P.18
SILVERSANDS	P.24
SOLID GLAM PICADILLY	P.38
TATAMI	P.58
TERRAZZO	P.64
TOASTED WOOD	P.04
TRAVERTINO	P.30
WILD OAK	P.10

Non-contractual imagery / Reproductions coloris non contractuelles / Farbabweichungen sind möglich

TOASTED WOOD



TOASTED WOOD CAFE



TOASTED WOOD CAFE
0799

MASKING DESIGN

230 x 1500

242 x 1461



TOASTED WOOD ROADSTER
0800

MASKING DESIGN

230 x 1500

242 x 1461



TOASTED WOOD ASH
1053

MASKING DESIGN

230 x 1500

242 x 1461

Format / mm



TOASTED WOOD CAFE

ONKA



6 ONKA COFFEE



ONKA HONEY
1054

230 x 1500
242 x 1461
229 x 1220



ONKA NATURAL
1055

230 x 1500
242 x 1461



ONKA PEARL
1056

230 x 1500
242 x 1461



ONKA COFFEE
1057

MASKING DESIGN

230 x 1500
242 x 1461

Format / mm


LADIES
GENTLEMEN

DEEP FOREST



DEEP FOREST



MASKING DESIGN

208 x 1243

214 x 1239

DEEP FOREST
0360

Format / mm


BREAD STICKS
BREAD STICKS
BREAD STICKS
BREAD STICKS
Le grand glacier
de Paris

WILD OAK





MASKING DESIGN

208 x 1243

214 x 1239

WILD OAK
0359

Format / mm

DIESEL



DIESEL NALA



DIESEL NALA
1075

MASKING DESIGN

230 x 1500

229 x 1220



DIESEL BURNT
1074

MASKING DESIGN

230 x 1500

229 x 1220

Format / mm

DIESEL NALA / TATAMI RAFFIA

ALBION



ALBION



ALBION
0577

208 x 1243

214 x 1239

Format / mm

CERVINO OAK



16 CERVINO OAK HONEY CLEAR



CERVINO OAK BEIGE
0797

230 x 1500

242 x 1461



CERVINO OAK NATURE
0798

230 x 1500

242 x 1461



CERVINO OAK HONEY CLEAR
1186

230 x 1500



CERVINO OAK COLD GREY
1187

230 x 1500

Format / mm

CERVINO OAK HONEY CLEAR

SERENA



SERENA



SERENA
0545

208 x 1243

214 x 1239

Format / mm



CLIFTON



CLIFTON CHESTNUT



CLIFTON
0556

MIX:
152 x 914 / 76 x 914 / 228 x 914



CLIFTON CHESTNUT
1191

MIX:
152 x 914 / 76 x 914 / 228 x 914



CLIFTON HONEY
1190

208 x 1243



CLIFTON GREY
1192

208 x 1243

Format / mm


LL WE HAVE TEA?
SKAL VI HAR TEA?

MUSE



MUSE SAND



MUSE SAND
1052

208 x 1243

214 x 1239



MUSE SMOKED
1051

MASKING DESIGN

208 x 1243

214 x 1239

Format / mm


PLAN 2

SILVERSANDS





SILVERSANDS
0324

208 x 1243

Format / mm



MIDWEST



MIDWEST




MIDWEST
0538

208 x 1243

214 x 1239

229 x 1220

Format / mm



LIMED OAK



28 LIMED OAK



LIMED OAK
0329

208 x 1243

Format / mm


Departures
Transfer
BUSINESS NEWS
RECESSION LOSES GR

TRAVERTINO



TRAVERTINO BEIGE



MASKING DESIGN

228 x 914

TRAVERTINO BEIGE
1188



MASKING DESIGN

228 x 914

TRAVERTINO GREY
1189

Format / mm

TRAVERTINO BEIGE

DENIM WOOD



DENIM WOOD



MASKING DESIGN

208 x 1243

229 x 1220

DENIM WOOD
0356

Format / mm

MOON ISLAND



MOON ISLAND



MOON ISLAND
0358

208 x 1243

214 x 1239

229 x 1220


Format / mm



MOON ISLAND / TATAMI RAFFIA

GRACE BAY





GRACE BAY BLACK
1050

MASKING DESIGN

208 x 1243

214 x 1239



GRACE BAY CREAM
1049

MASKING DESIGN

208 x 1243

214 x 1239

Format / mm



GRACE BAY CREAM


SOLID GLAM PICADILLY
REGIMENTAL PICADILLY





SOLID GLAM PICADILLY
0803

184 x 1219



MASKING DESIGN



REGIMENTAL PICADILLY
0807

184 x 1219

Format / mm



REGIMENTAL PICADILLY / SOLID GLAM PICADILLY

DOUGLAS



DOUGLAS



MASKING DESIGN

208 x 1243

DOUGLAS
0535

Format / mm



PORTOBELLO



PORTOBELLO



PORTOBELLO
0357

MASKING DESIGN

208 x 1243


214 x 1239

229 x 1220

Format / mm



CARASSI





CARASSI
0561

MASKING DESIGN

228 x 914

Format / mm

HALIFAX



HALIFAX



HALIFAX
0531


MASKING DESIGN

610 x 610

Format / mm


OTVARANJE
1. APRILA
MANJE KNJAZ
U NOVOM RUHU

EAST VILLAGE



EAST VILLAGE




EAST VILLAGE
0522

MASKING DESIGN


610 x 610

Format / mm

PURE CONCRETE



PURE CONCRETE MEDIUM



914 x 914

391 x 729

914 x 914

PURE CONCRETE MEDIUM
1061




914 x 914

391 x 729

914 x 914

PURE CONCRETE LIGHT
1060



914 x 914

391 x 729

914 x 914

PURE CONCRETE DARK
1062



914 x 914

391 x 729

PURE CONCRETE BEIGE
1063

Format / mm



DOCK



DOCK GREY



DOCK TAUPE
0087

MASKING DESIGN

457 x 914

391 x 729

914 x 914



DOCK GREY
0085

MASKING DESIGN

457 x 914

391 x 729

914 x 914

Format / mm

DOCK GREY / PURE CONCRETE LIGHT

OXYD



54

OXYD PURE



OXYD PURE
0088

MASKING DESIGN

457 X 914

391 X 729



OXYD IRON
0089

MASKING DESIGN

457 X 914

391 X 729

Format / mm

OXYD PURE / OXYD IRON

GENTLEMAN




GENTLEMAN TWEED



GENTLEMAN TWEED
1076

228 x 914
229 x 1220



GENTLEMAN TAUPE
1083

228 x 914
229 x 1220



GENTLEMAN GREY
1058

610 x 610
391 x 729
600 x 600



GENTLEMAN GARANCE
1080

610 x 610
600 x 600



GENTLEMAN INDIGO
1081

610 x 610
600 x 600



GENTLEMAN PEPPERMINT
1082

610 x 610
600 x 600

Format / mm



GENTLEMAN TWEED / DIESEL NALA

TATAMI





MASKING DESIGN

610 x 610

600 x 600

TATAMI RAFFIA
1078



MASKING DESIGN

610 x 610

600 x 600

TATAMI SAVANE
1077



MASKING DESIGN

610 x 610

600 x 600

TATAMI SMOKED
1079

Format / mm

TATAMI SAVANE



TATAMI SAVANE

PRADO



PRADO GREEN



PRADO TERRACOTTA
1065

457 x 914

391 x 729



PRADO GREEN
1064

457 x 914

391 x 729

Format / mm



PRADO GREEN / ONKA NATURAL

ETNA



ETNA BEIGE



ETNA BEIGE
1068

457 x 914
MIX (on demand):
152 x 914 / 305 x 914 / 457 x 914

391 x 729



ETNA DARK
1069

MASKING DESIGN

457 x 914

391 x 729

Format / mm

ETNA BEIGE

TERRAZZO



TERRAZZO NATURE



TERRAZZO NATURE
1067

914 x 914

391 x 729



TERRAZZO OCRE
1066

914 x 914

391 x 729

Format / mm


Reception

SECRET GARDEN



SECRET GARDEN WHITE



SECRET GARDEN WHITE
1059

457 x 914

391 x 729

Format / mm



SECRET GARDEN WHITE

MORE THAN A FLOOR... **FLOOR, WALL & FINISHES**
PLUS QU'UN SOL... ***SOLUTIONS COMPLÈTES, SOLS, MURS & FINITIONS***
MEHR ALS NUR BELAG... **BODEN, WAND & ZUBEHÖR**



MATTING /
TAPIS D'ENTRÉE /
SAUBERLAUF

TOOLS / *OUTILS* / WERKZEUGE



ADD-ON UNDERLAYERS / *SOUS COUCHES COMPLEMENTAIRES* / UNTERLAGEN



FOR MORE DETAILS / *PLUS DE DÉTAILS* / WEITERE INFORMATIONEN GERFLOR.COM



CREATION 70
CROSS REFERENCES / *RÉFÉRENCES CROISÉES* / ÜBERSICHT

SCANS	COLOR DESIGN	EMBOSS / *GRAIN* / PRÄGUNG	GLUE DOWN INSTALLATION / *À COLLER*	CLIC INSTALLATION / *À CLIPSER*	LOOSELAY INSTALLATION / *PLOMBANT*	SKIRTINGS / *PLINTHES* / SOCKELLEISTEN
						Matching design
	ALBION - 0577	NATURAL	208 x 1243 mm	214 x 1239 mm		S108
	CARASSI - 0561	RIB WOOD	228 x 914 mm			WHITE
	CERVINO OAK BEIGE - 0797	NATURAL	230 x 1500 mm	242 x 1461 mm		S011
	CERVINO OAK COLD GREY - 1187	NATURAL	230 x 1500 mm			WHITE
	CERVINO OAK HONEY CLEAR - 1186	NATURAL	230 x 1500 mm			WHITE
	CERVINO OAK NATURE - 0798	NATURAL	230 x 1500 mm	242 x 1461 mm		S109
	CLIFTON - 0556	NATURAL	MIX*			S144
	CLIFTON CHESTNUT - 1191	NATURAL	MIX*			WHITE
	CLIFTON GREY - 1192	NATURAL	208 x 1243 mm			WHITE
	CLIFTON HONEY - 1190	NATURAL	208 x 1243 mm			WHITE
	DEEP FOREST - 0360	BRUSHED	208 x 1243 mm	214 x 1239 mm		S110
	DENIM WOOD - 0356	NATURAL	208 x 1243 mm		229 x 1220 mm	S026
	DIESEL BURNT - 1074	NATURAL	230 x 1500 mm		229 x 1220 mm	WHITE
	DIESEL NALA - 1075	NATURAL	230 x 1500 mm		229 x 1220 mm	WHITE
	DOCK GREY - 0085	HAMMERED	457 x 914 mm	391 x 729 mm	914 x 914 mm	S111
	DOCK TAUPE - 0087	HAMMERED	457 x 914 mm	391 x 729 mm	914 x 914 mm	S020
	DOUGLAS - 0535	NATURAL	208 x 1243 mm			WHITE
	EAST VILLAGE - 0522	STONE	610 x 610 mm			S154
	ETNA BEIGE - 1068	HAMMERED	457 x 914 mm MIX**	391 x 729 mm		WHITE
	ETNA DARK - 1069	HAMMERED	457 x 914 mm	391 x 729 mm		WHITE
	GENTLEMAN GARANCE - 1080	TEXTILE	610 x 610 mm		600 x 600 mm	WHITE
	GENTLEMAN GREY - 1058	TEXTILE	610 x 610 mm	391 x 729 mm	600 x 600 mm	WHITE
	GENTLEMAN INDIGO - 1081	TEXTILE	610 x 610 mm		600 x 600 mm	WHITE
	GENTLEMAN PEPPERMINT - 1082	TEXTILE	610 x 610 mm		600 x 600 mm	WHITE
	GENTLEMAN TAUPE - 1083	TEXTILE	228 x 914 mm		229 x 1220 mm	WHITE
	GENTLEMAN TWEED - 1076	TEXTILE	228 x 914 mm		229 x 1220 mm	WHITE
	GRACE BAY BLACK - 1050	NATURAL	208 x 1243 mm	214 x 1239 mm		WHITE
	GRACE BAY CREAM - 1049	NATURAL	208 x 1243 mm	214 x 1239 mm		WHITE
	HALIFAX - 0531	STONE	610 x 610 mm			S032
	LIMED OAK - 0329	NATURAL	208 x 1243 mm			S147
	MIDWEST - 0538	NATURAL	208 x 1243 mm	214 x 1239 mm	229 x 1220 mm	S039
	MOON ISLAND - 0358	BRUSHED	208 x 1243 mm	214 x 1239 mm	229 x 1220 mm	S034


** 152 x 914 mm / 76 x 914 mm / 228 x 914 mm*
*** 152 x 914 mm / 305 x 914 mm / 457 x 914 mm (on demand / sur commande)*

WHITE / BLANC / WEIß = S001

SCANS	COLOR DESIGN	EMBOSS / *GRAIN* / PRÄGUNG	GLUE DOWN INSTALLATION / *À COLLER*	CLIC INSTALLATION / *À CLIPSER*	LOOSELAY INSTALLATION / *PLOMBANT*	SKIRTINGS / *PLINTHES* / SOCKELLEISTEN
						Matching design
	MUSE SAND - 1052	NATURAL	208 x 1243 mm	214 x 1239 mm		S117
	MUSE SMOKED - 1051	NATURAL	208 x 1243 mm	214 x 1239 mm		S118
	ONKA COFFEE - 1057	NATURAL	230 x 1500 mm	242 x 1461 mm		WHITE
	ONKA HONEY - 1054	NATURAL	230 x 1500 mm	242 x 1461 mm	229 x 1220 mm	S121
	ONKA NATURAL - 1055	NATURAL	230 x 1500 mm	242 x 1461 mm		S122
	ONKA PEARL - 1056	NATURAL	230 x 1500 mm	242 x 1461 mm		S120
	OXYD IRON - 0089	PERFORATED	457 x 914 mm	391 x 729 mm		WHITE
	OXYD PURE - 0088	PERFORATED	457 x 914 mm	391 x 729 mm		WHITE
	PORTOBELLO - 0357	BRUSHED	208 x 1243 mm	214 x 1239 mm	229 x 1220 mm	S053
	PRADO GREEN - 1064	STONE	457 x 914 mm	391 x 729 mm		WHITE
	PRADO TERRACOTTA - 1065	STONE	457 x 914 mm	391 x 729 mm		WHITE
	PURE CONCRETE BEIGE - 1063	HAMMERED	914 x 914 mm	391 x 729 mm		WHITE
	PURE CONCRETE DARK - 1062	HAMMERED	914 x 914 mm	391 x 729 mm	914 x 914 mm	WHITE
	PURE CONCRETE LIGHT - 1060	HAMMERED	914 x 914 mm	391 x 729 mm	914 x 914 mm	WHITE
	PURE CONCRETE MEDIUM - 1061	HAMMERED	914 x 914 mm	391 x 729 mm	914 x 914 mm	WHITE
	REGIMENTAL PICADILLY - 0807	NATURAL	184 x 1219 mm			WHITE
	SECRET GARDEN WHITE - 1059	STONE	457 x 914 mm	391 x 729 mm		WHITE
	SERENA - 0545	NATURAL	208 x 1243 mm	214 x 1239 mm		S132
	SILVERSANDS - 0324	NATURAL	208 x 1243 mm			S145
	SOLID GLAM PICADILLY - 0803	NATURAL	184 x 1219 mm			WHITE
	TATAMI RAFFIA - 1078	STONE	610 x 610 mm		600 x 600 mm	WHITE
	TATAMI SAVANE - 1077	STONE	610 x 610 mm		600 x 600 mm	WHITE
	TATAMI SMOKED - 1079	STONE	610 x 610 mm		600 x 600 mm	WHITE
	TERRAZZO NATURE - 1067	STONE	914 x 914 mm	391 x 729 mm		WHITE
	TERRAZZO OCRE - 1066	STONE	914 x 914 mm	391 x 729 mm		WHITE
	TOASTED WOOD ASH - 1053	NATURAL	230 x 1500 mm	242 x 1461 mm		WHITE
	TOASTED WOOD CAFE - 0799	NATURAL	230 x 1500 mm	242 x 1461 mm		WHITE
	TOASTED WOOD ROADSTER - 0800	NATURAL	230 x 1500 mm	242 x 1461 mm		WHITE
	TRAVERTINO BEIGE - 1188	STONE	228 x 914 mm			WHITE
	TRAVERTINO GREY - 1189	STONE	228 x 914 mm			WHITE
	WILD OAK - 0359	BRUSHED	208 x 1243 mm	214 x 1239 mm		S075

WHITE / BLANC / WEIß = S001


EXCLUSIVE EMBOSSES **FOR ENHANCED DESIGNS**
SURFACES GRAINÉES **POUR UNE MATIÈRE TRÈS RÉALISTE**
OBERFLÄCHENPRÄGUNGEN **FÜR AUTHENTISCHE DESIGNS**


STONE



SAW EFFECT


BRUSHED


NATURAL


PERFORATED



HAMMERED


TEXTILE*


RIB WOOD

TEXTILE

* ULTRA REALISTIC EMBOSSING


BRUSHED
PERFORATED

CREATION 70
TECHNICAL DATA

			CREATION 70									CREATION 70 LOOSELAY	CREATION 70 CLIC
			CREATION 70 DESIGN								CREATION 70		
DESCRIPTION / BESCHREIBUNG / BESCHRIJVING / DESCRIPTION / DESCRIPCIÓN / DESCRIÇÃO / DESCRIZIONE													
Total Thickness / Gesamtdicke / Totale dikte / Épaisseur totale / Espesor total / Espessura total / Spessore totale	EN ISO 24346	mm	2.50								2.50	6.00	6.00
	ASTM F386-02	inch	0.1								0.1	0.24	0.24
Thickness of the wearlayer / Dicke der Nutzschicht / Dikte van de slijtlaag / Épaisseur couche d'usure / Espesor capa de uso / Espessura camada de desgaste / Spessore strato di usura	EN ISO 24340	mm	0.70								0.70	0.70	0.70
	ASTM F410-02	inch	0.03								0.03	0.03	0.03
Weight / Flächengewicht / Gewicht / Poids / Peso / Peso / Peso	EN ISO 23997	g/m²	4100								3960	10000	9850
Size / Format / Afmetingen / Format / Dimensiones / Dimensões / Dimensione	ISO 24342	mm	184x1219	230x1500	Mix planks 76/152/228 x914	610x610	914x914	457x914	228x914	Mix tiles 152/305/457 x914	208x1243	229x1220 / 600x600 / 914x914	214x1239 / 242x1461 / 391x729
	ASTM F 536	inch	7.25"x48"	9"x59"	3"/6"/9" x36"	24"x24"	36"x36"	18"x36"	9"x36"	6"/12"/18" x36"	8.2"x48.9"	9"x48" / 23.6" x 23.6" / 36" x 36"	8.4"x48.7" / 9.5"x57.5" / 15.3"x28.7"
Number of planks / tiles per box	-	-	14[1] / 15	9	8+8+8	9	5	9	17	4+4+4	14	6 / 4 / 2	6 / 5 / 5
CLASSIFICATION / KLASSIFIKATION / CLASSIFICATIE / CLASSIFICATION / CLASIFICACIONES / CLASSIFICAÇÕES / CLASSIFICAZIONI													
Norm/Product Specification / Produktnorm / Technische eigenschappen / Norme/Spécification produit / Normas / Normas / Norma prodotto	-	-	EN ISO 10582									EN ISO 10582	EN ISO 10582
	ASTM F 1700-04	-	Class III Type B									Class III Type B	Class III Type B
European Classification / Europäische Klassifizierung / Europese classificatie / Classement européen / Clasificación europea / Classificação Europeia / Europea	EN ISO 10874	Class	34 - 43									34 - 43	34 - 43
Classement UPEC	-	-	U4P3E2C2								U4P3E2C2	Pour pose dans des locaux classés U4P3E1/2C2	Pour pose dans les locaux classés U4P3E1/2C2
Certification QB|UPEC	QB 30	n°	783/356-001.1								302-001-1	-	-
Fire Rating / Brandverhalten / Brand classificatie / Classement Feu / Fuego / Fogo / Reazione al fuoco	EN 13 501-1	Class	Bfl-s1									Bfl-s1	Bfl-s1
Static Electrical Propensity / Begehaufladung / Elektrische eigenschappen / Potentiel de charge / Comportamiento electrostático / Comportamento electrostático /Resistenza elettrica	EN 1815	kV	< 2									< 2	< 2
Slip Resistance Wet / Rutschhemmung / Anti-slip / Glissance humide / Deslizamiento húmedo / Escorregamento húmido / Scivolosità umida[2]	DIN 51130 /BGR 181	Class	R10									R10	R10
PERFORMANCES / TECHNISCHE EIGENSCHAFTEN / TESTRESULTAAT / PERFORMANCE / CUALIDADES TÉCNICAS / PERFORMANCES / CARATTERISTICHE TECNICHE													
Wear Resistance / Verschleißverhalten / Slijtvastheid / Résistance à l'usure / Abrasión / Abrasão / Resistenza all'abrasione	EN 660.2	mm³	< 2.0									≤ 2.0	≤ 2.0
Wear Group / Verschleißgruppe / Groep slijtvasheid / Groupe d'abrasion / Grupo de abrasión / Grupo de abrasão / Gruppo di abrasione	QB 30	group	T									T	T
Type Binder content / Bindemittelgehalt / Teneur en agent liant / Contenido en ligante / Conteúdo em ligante	ISO 10582	group	I									I	I
Dimensional stability (norm) / Maßstabilität (norm) / Maatvastheid (norm) / Stabilité dimensionnelle (norme) / Estabilidad Dimensional (Exigencia) / Estabilidade dimensional (normalização) / Stabilità dimensionale (requisito normativo)	EN ISO 23999	%	≤ 0.25									≤ 0.15	≤ 0.15
Dimensional stability (average measured value) / Maßstabilität (Durchschnittsmesswert) / Stabilité dimensionnelle (valeur moyenne mesurée) / Maatvastheid (gemeten gemiddelde waarde) / Estabilidad Dimensional (Valor medido) / Estabilidad Dimensional (Valor medio) / Stabilità dimensionale (rilevata)	-	%	≤ 0.10									≤ 0.05	≤ 0.05
Residual Indentation / Resteindruck / Indrukbelasting / Poinçonnement statique rémanent / Punzonamiento / Punçoamento / Impronta	EN ISO 24343-1	mm	≤ 0.10									≤ 0.10	≤ 0.10
Impact sound insulation / Trittschallverbesserungsmaß / Geluidsisolatie / Isolation acoustique bruits de chocs / Acústica / Isolamento acústico	EN ISO 717-2	dB	4									9	4
Room Impact / Raumschall / Loopgeluid / Sonorité à la marche / Rumore al calpestio / Sonoridad en la pisada / Sonoridade ao andar	NF S 31074	dB	76									73	78
Castor chair test / Stuhlrollenbeanspruchung / Rolweerstand bureaustoelen / Essai de la chaise à roulettes / Determinación del efecto de una silla con ruedas / Resistência a cadeiras de rodas / Resistenza al passagio di sed (Type W)	ISO 4918	-	OK									OK	OK
Thermal Conductivity / Wämeleitfähigkeit / Thermische weerstand / Conductivité thermique / Conductividad térmica / Contutividade térmica / Resistenza termica / Värmeledningsmotstånd / Varmemostand	EN ISO 10456	W/(m.K)	0.25									0.25	0.25
Colour Fastness / Lichtechtheit / Lichtechtheid / Solidité lumière / Resistencia a la luz / Estabilidade das cores / Solidità alla luce	EN 20 105 - B02	degree	≥ 6									≥ 6	≥ 6
Surface Treatment / Oberflächenvergütung / Oppervlaktebehandeling / Traitement de surface / Tratamiento de superficie / Tratamento de superficie / Trattamento di superficie	-	-	PUR+ Matt									PUR+ Matt	PUR+ Matt
Chemical Products Resistance / Verhalten gegenüber Chemikalien / Chemische bestendigheid / Résistance aux produits chimiques / Resistencia a los productos químicos / Resistência aos produtos químicos / Resistenza ai prodotti chimici [3]	EN ISO 26987	-	OK									OK	OK
ENVIRONMENT/INDOOR AIR QUALITY / UMWELT/RAUMLUFTQUALITÄT / ENVIRONNEMENT/QUALITE DE L'AIR INTERIEUR / MEDIO AMBIENTE/CALIDAD INTERIOR DEL AIRE INTERIOR / MEIO AMBIENTE/ QUALIDADE DO AR INTERIOR													
TVOC after 28 days / TVOC (28 Tage) / TVOC (28 dagen) / TVOC après 28 jours / TVOC (28 dias) / TVOC (28 dias) / TVOC (28 giorni) / TVOC (28 dagar) / TVOC (28 dager)	ISO 16000-6	µg/m³	< 10									< 10	< 10
Certification /Zeugnis / Certification / Certificado / Certificação	-	-	Floorscore®									-	Floorscore®
CE MARKING / CE KENNZEICHNUNG / EG_CONFORMITEITSMERK / MARQUAGE CE / MARCA DE CONFORMIDAD CE / MARCA DE CONFORMIDADE CE / MARCATURA CE DI CONFORMITA													
CE	EN 14041	-	DS									B_{fl}-s1	

(1) Regimental Picadilly 0807 / (2) Ramp test with oil / Schiefe Ebene / Plan incliné avec huile / (3) Beständig gegenuber nicht färbenden alkoholhaltigen Handdesinfektionsmitteln, Haushaltschemikalien und verdünnten Saüren und Laugen bei kurzzeitiger Einwirkung.

PACKAGING

CREATION 70

Format (mm)	m² / Box / Boîte	m² / Pallet / Palette
184 x 1219	3.36	215.32
184 x 1219*	3.14	213.53
208 x 1243	3.62	195.46
228 x 914	3.54	212.65
230 x 1500	3.11	204.93
457 x 914	3.76	203.09
610 x 610	3.35	187.54
914 x 914	4.18	204.84
MIX Planks	3.34	213.49
MIX Tiles	3.34	200.58

CREATION 70 LOOSELAY

Format (mm)	m² / Box / Boîte	m² / Pallet / Palette
229 x 1220	1.67	80.2
600 x 600	1.44	72.0
914 x 914	1.67	80.2

CREATION 70 CLIC

Format (mm)	m² / Box / Boîte	m² / Pallet / Palette
214 x 1239	1.59	85.86
242 x 1461	1.77	84.96
391 x 729	1.43	85.80

** Regimental Picadilly 0807*
More details on gerflor.com

CREATION, NO FORMALDEHYDE, BETTER INDOOR AIR QUALITY

COMPOSITION
100% REACH
Phthalate Free
(except recycled content)

INDOOR AIR QUALITY
TVOC below detection level
No Formaldehyde emission

RECYCLED CONTENT
Glue Down: 35%
Looselay: 35%
Clic: 55%

RECYCLABILITY
100%

INSTALLATION
Clic: Adhesive free

LCA
Clic: Lowest Carbon Footprint
CO_2 emissions/sqm
10 times lower than standard process

WELLNESS
Walking noise reduction:
-10dB vs laminate

INTERIOR DESIGNER



interiordesigner.gerflor.com

Z0045549


RC Lyon B 726 580 152 - jpe - Printed in CEE 209 406 - 01/2020 - Z004 5549 - Indicative documentation cost: **4.50 €**

30 years experience
Since 1985

Manufacturer
3 LVT Factories

World Class Logistics
12 Logistics Hubs

Gerflor Design Centre
Exclusive Designs



“Serenity„
Julia - **End User**



“Time saving„
Mika - **Installer**



“Design„
Pierre - **Architect**



“Confidence„
Claire - **Store Manager**



“Reliability„
Lucas - **Distributor**

Gerflor is our **Reference**

gerflor.com

Gerflor®
theflooringgroup